

rbtl - Research Beyond the Lab

Reference management with Zotero

Lars Schöbitz

2022-04-28

Today

1. Homework Assignment 2
2. Reference Management - Zotero
3. Open Source - Licenses
4. Reproducible Research
5. Homework Assignment 3

Homework Assignment 2

```
dat_in_sum_day <- dat_in %>%  
  filter(value <= 1000) %>%  
  mutate(date = as_date(date_time)) %>%  
  group_by(date, location, indicator) %>%  
  summarise(min = min(value),  
            median = median(value),  
            mean = mean(value),  
            sd = sd(value),  
            max = max(value))
```

Homework Assignment 2

```
dat_in_sum_day <- dat_in %>%  
  filter(value <= 1000) %>%  
  mutate(date = as_date(date_time)) %>%  
  group_by(date, location, indicator) %>%  
  summarise(min = min(value),  
            median = median(value),  
            mean = mean(value),  
            sd = sd(value),  
            max = max(value))
```

- Objects that store dataframes: `dat_in` and `dat_in_sum_day`

Homework Assignment 2

```
dat_in_sum_day <- dat_in %>%  
  filter(value <= 1000) %>%  
  mutate(date = as_date(date_time)) %>%  
  group_by(date, location, indicator) %>%  
  summarise(min = min(value),  
            median = median(value),  
            mean = mean(value),  
            sd = sd(value),  
            max = max(value))
```

- Objects that store dataframes: `dat_in` and `dat_in_sum_day`
- Functions: `filter()`, `mutate()`, `as_date()`, `group_by()`, `summarise()`, etc.

Homework Assignment 2

```
dat_in_sum_day <- dat_in %>%  
  filter(value <= 1000) %>%  
  mutate(date = as_date(date_time)) %>%  
  group_by(date, location, indicator) %>%  
  summarise(min = min(value),  
            median = median(value),  
            mean = mean(value),  
            sd = sd(value),  
            max = max(value))
```

- Objects that store dataframes: `dat_in` and `dat_in_sum_day`
- Functions: `filter()`, `mutate()`, `as_date()`, `group_by()`, `summarise()`, etc.
- Assignment operator: `<-`

Homework Assignment 2

```
dat_in_sum_day <- dat_in %>%  
  filter(value <= 1000) %>%  
  mutate(date = as_date(date_time)) %>%  
  group_by(date, location, indicator) %>%  
  summarise(min = min(value),  
            median = median(value),  
            mean = mean(value),  
            sd = sd(value),  
            max = max(value))
```

- Objects that store dataframes: `dat_in` and `dat_in_sum_day`
- Functions: `filter()`, `mutate()`, `as_date()`, `group_by()`, `summarise()`, etc.
- Assignment operator: `<-`
- Pipe operators: `%>%`

Homework Assignment 2 - Imported raw data

```
dat_link <- "https://raw.githubusercontent.com/Global-Health-Engineering/manuscri
dat_in <- read_csv(dat_link)
dat_in
```

```
# A tibble: 203,806 × 6
  date_time          id    location indicator value unit
  <dtm>              <chr> <chr>      <chr>      <dbl> <chr>
1 2019-10-08 13:59:01 hos1 guardian pm2.5      19.4 uq_m3
2 2019-10-08 13:59:01 hos1 guardian pm10        27 uq_m3
3 2019-10-08 14:04:41 hos1 guardian pm2.5      44.9 uq_m3
4 2019-10-08 14:04:41 hos1 guardian pm10       56.7 uq_m3
5 2019-10-08 14:10:21 hos1 guardian pm2.5     202. uq_m3
6 2019-10-08 14:10:21 hos1 guardian pm10     240. uq_m3
# ... with 203,800 more rows
```


Summarised derived data

```
dat_in_sum_day <- dat_in %>%  
  filter(value <= 1000) %>%  
  mutate(date = as_date(date_time)) %>  
  group_by(date, location, indicator)  
  summarise(min = min(value),  
            median = median(value),  
            mean = mean(value),  
            sd = sd(value),  
            max = max(value))
```

```
# A tibble: 890 × 8  
# Groups:   date, location [445]  
  date      location indicator    min  
  <date>    <chr>    <chr>    <dbl>  
1 2019-10-01 Lhouse   pm10      22.8  
2 2019-10-01 Lhouse   pm2.5     12.2  
3 2019-10-02 Lhouse   pm10      24.9  
4 2019-10-02 Lhouse   pm2.5     12.8  
5 2019-10-02 Lions    pm10       7.5  
6 2019-10-02 Lions    pm2.5      4.6  
# ... with 884 more rows
```

Reference Management

Why?

- You will read a lot
 - You want to stay organized
 - You don't want to waste your time on formatting
-

Which tool?

- Mendeley
- EndNote
- Zotero
- many, many more

Which tool?

- Mendeley
- EndNote
- **Zotero**
- many, many more

Why Zotero?



Rest easy.

Zotero is [open source](#) and developed by an independent, nonprofit organization that has no financial interest in your private information. With Zotero, you always stay in control of your own data.

Zotero is Open Source - Why is that good?

- Free Software
- Transparent about access to your own data
- The source code that Zotero is developed in is public
- Commitment to support open software and open standards
- Zotero developers helped create the open [Citation Style Language \(CSL\)](#)

Open Source - Licenses


- Open Source isn't just code on the internet
- Use permissive licenses to allow others to reuse, remix and build upon (also for commercial purposes)
- Recommended licenses
 - **Text, slides, images:** Creative Commons (CC0, CC-BY, CC-BY-SA)
 - **Software:** MIT License, Hippocratic License, Unlicense for software
- <https://tldrlegal.com/> - plain english explanations of licences in bullet form.
- <https://kbroman.org/steps2rr/pages/licenses.html> - Read Karl Broman

Open Source != Open Access

Open Source != Open Data

Open Source (Code) + Open Data =
Reproducible Research

Reproducible Research



The Turing Way Community, & Scriberia. (2021). Illustrations from the Turing Way book dashes. Zenodo. <https://doi.org/10.5281/zenodo.5706310>



Homework Assignment

Homework Assignment 3 - Learning Objectives

These learning objectives are related to the assignment for this week.

- Learners are able to import references to a Zotero group library
- Learners can use an exported library from Zotero in Better BibTex Format to generate an automated reference list in an R Markdown file
- Learners can edit a file in the Citation File Format (.cff) to add their name to the author list

Homework Assignment 3 - Due Date

- Complete Assignment 2 before you complete Assignment 3
- Assignment 3, due on 15th March
- Readings on Reproducible Research

Thanks! 🌻

Slides created via the R packages:

xaringan

[gadenbuie/xaringantheme](#)

The chakra comes from [remark.js](#), **knitr**, and R Markdown.

Access slides as PDF on [GitHub](#)

All material is licensed under [Creative Commons Attribution Share Alike 4.0 International](#).